

HINDTANK™

Aapna Tank

SERVICE

RELIABILITY

FLEXIBILITY

INNOVATION



AN ISO 9001:2008 CERTIFIED ORGANIZATION

SHYAM SUNDAR CORPORATION

HINDTANK™

Aapna Tank

HIND DUAL LAYER



MODEL: HTCVT-BL2 & HTCVT-CL2

HIND DUAL LAYER TANKS ARE SUPPORTED BY TWO LAYERS. THE OUTER LAYER IS DARK COLORED AND UV PROTECTED WHEREAS THE FOOD GRADE INNER LAYER IS LIGHT COLORED FOR BETTER VIEW OF THE CLEANLINESS OF THE WATER.

AVAILABLE COLOR: BLACK

SUDAN BLUE

PARROT GREEN



STANDARD WEIGHT OF A 500 LITER* = 10.8KG

SECTIONAL LAYER VIEW



HIND TRIPPLE LAYER



MODEL: HTCVT-CL3 & HTCVT-MW3

HIND TRIPPLE LAYER TANKS ARE MOULDED BY THREE PE LAYERS FOR BEST IMPACT STRENGTH AND ADDITIONALLY TO THE DUAL LAYER TANK IT IS HAVING A MIDDLE BLACK LAYER WHICH PREVENTS HARMFUL UV RAYS WITH BEST EFFICIENCY RESULTING LONG LIFE OF YOUR TANK.

AVAILABLE COLOR: MILKY WHITE

SUDAN BLUE

PARROT GREEN

GOLDEN YELLOW

BLACK



STANDARD WEIGHT OF A 500 LITER* = 13.25KG

SECTIONAL LAYER VIEW



HINDTANK™

Aapna Tank


HIND THREE LAYER FOAM




MODEL: HTCVT-CLF3

HIND TANK PRESENTS A GOOD QUALITY FOAM TANK WHICH KEEPS YOUR WATER COOL AT SUMMER. IN THIS CATEGORY WE USE POLYURETHENE FOAM IN THE MIDDLE LAYER WHICH RESIST HEAT TO TRANSFER IN YOUR WATER. WATER REMAINS COOL & FRESH FOR LONGER TIME.

AVAILABLE COLOR: SUDAN BLUE



PARROT GREEN




GOLDEN YELLOW



STANDARD WEIGHT OF A 500 LITER* = 13.25KG

SECTIONAL LAYER VIEW



HIND FOUR LAYER FOAM



MODEL: HTCVT-CLF4 & HTCVT-MWF4

WHEN INSULATION IN YOUR TANK IS CONCERNED WE DO THE BEST FOR YOU IN OUR FOUR LAYER FOAM TANK. IN EXTREME SUMMER CONDITIONS, EVEN AT 45°C YOU CAN HAVE COMPARATIVELY COOLER WATER IN THIS TANK.

AVAILABLE COLOR: SUDAN BLUE



PARROT GREEN



GOLDEN YELLOW



MILKY WHITE



STANDARD WEIGHT OF A 500 LITER* = 15.75KG

SECTIONAL LAYER VIEW



HEAVY WEIGHT CLAMP TYPE LID

THIS ENSURES YOUR TANK LID DOESN'T BLOW AWAY IN STORM. IT PREVENTS ENTRY OF UNWANTED PESTS AND INSECTS INSIDE YOUR TANK, AND HENCE KEEPS YOUR DRINKING WATER CLEAN & TIDY.



BODY RIBS

HIND TANK ALWAYS SCORE BIG WHEN LOOK IS CONCERNED. EYE CATCHING AESTHETICS COMBINED WITH SUPERB RIB DESIGN WITH A STRONG HEAD & LOWER BODY ADDS A MUSCULAR DESIGN TO THE TANK.

MORE STRONG

ADVANCED SOLID SINGLE PIECE STRUCTURE WITH BOLDER RIBS ALWAYS SUPPORT STABILITY AND REDUCE BULGING WHEN THE TANK IS FULL.



MORE HYGIENIC

FOOD GRADE LLDPE (LINEAR LOW DENSITY POLY ETHYLENE) MATERIAL ENSURES YOUR WATER ALWAYS REMAINS FRESH SMELL FREE AND DRINKABLE WHILE STORED IN OUR TANK.

DURABLE

AS THE WATER TANK IS MADE FROM A MATERIAL (LLDPE) WHICH IS HAVING HIGHER ESCR (ENVIRONMENTAL STRESS AND CRACK RESISTANCE) VALUE, HENCE IT SURVIVES LONGER THAN ANY OTHER CHEAP HDPE TANKS AVAILABLE IN THE MARKET.



GENERAL SAFETY



WATER STORAGE TANKS MUST NOT BE USED FOR UNDERGROUND INSTALLATION UNLESS SUPPORTED BY LOAD BEARING WALLS AND FULL UNDERGROUND SLAB.



DO NOT CLIMB OR STAND ON THE TANK (FOR EXAMPLE, DURING FILLING) THE OUTER SURFACE OF THE TANK CAN BE A SLIP - HAZARD.



CYLINDRICAL WATER STORAGE TANKS DESIGNED FOR STATIC APPLICATIONS (NOT TRANSPORT PURPOSES) AND ARE HEAVY WHEN FULL. KINDLY USE ONLY HORIZONTAL DESIGN TANKS FOR TRANSPORT APPLICATION.



THE TANKS STRUCTURE AND INTEGRITY OF SEALS COULD BE AFFECTED IF THE PIPE - WORK AND FITTINGS ARE NOT SUFFICIENTLY SUPPORTED. PLEASE REFER TO INSTRUCTIONS ON WARRANTY CARDS.



MOVE THE TANK WITH CARE, ONLY WHEN IT IS COMPLETELY EMPTY & AWAY FROM ANY CONSTRUCTION MATERIAL AT SITE.

* THE WEIGHT IS CALCULATED AS TANK WEIGHT + LID WEIGHT.

DIMENSIONS IN MM

TANK SIZE	MODEL NO	MANHOLE	DIA (BOTTOM)	HEIGHT
330	HTCVT33	400	730	860
500	HTCVT50	400	850	970
750	HTCVT75	400	940	1140
1000	HTCVT100	400	1050	1250
1500	HTCVT150	400	1350	1200
2000	HTCVT200	400	1350	1540

SHYAM SUNDAR CORPORATION
DE-GAUL AVENUE
DURGAPUR - 713206, W.BENGAL, INDIA
EMAIL : PENGUIN.TANK@YAHOO.IN
WEB : WWW.PERFECTROTO.COM
CELL : +91 9547111222

DEALER :